

Geldig tot 31 december 2005 of tot einde voorraad.

TABLE MIXERS



€ 325

MX1424EX interM
6 mono and 4 stereo input mixer with digi effect
Main Mix L/R and ALT 3/4 output / 2 AUX Send
Channel Equalizer / Solo functions of all CHs
7 Bands Graphic Equalizer
Phantom Power (+48V)



€ 325

MX1824 interM
10 mono and 4 stereo input mixer
Main Mix L/R and ALT 3/4 output
2 Aux Return and 2 AUX Send
Channel Equalizer / Solo functions of all CHs
Phantom Power (+48V)



€ 595

MX1824EX interM
same as MX1428 but with digi effects
and 7 band graphic equalizer.

InterM CA8320 Professional Multi-Channel Powered Mixer	
Rated Power:	200W x 3 ch @ 4 Ohm
Mixer:	6 mono channels (jack and xlr), 2 stereo inputs EFX, Tape input 3 bands equalizer on each input Main and monitor output 7 bands stereo graphic equalizer EFX send, REC out and +48V Phantom power Digital Effects: Vocal, L-hall, S-hall

+ GRATIS FC04 flightcase



Live Serie Amplifier (8 - 4 - 2 Ohm)
Protection: turn on delay, thermal, DC default, PC limiter, RF, clip limiter, full short circuit, open circuit
Damping factor (8Ohm,1Khz): 400
Filters: 30 Hz HPF, 50 Hz HPP
Fan speed: continuously variable speed fan, front to rear air flow
Connectors : Neutrik jack and XLR inputs, 5-way binding post and speakon outputs

Type	RMS.Power	FREE !
L800	2x 300W (4 Ohm)	FREE flight case € 575
L1400	2x 450W (4 Ohm)	FREE flight case € 695
L1800	2x 600W (4 Ohm)	FREE flight case € 795
L 2400	2x 750W (4 Ohm)	FREE flight case € 895



Professional Serie Amplifier (8 - 4 - 2 Ohm)
Protection: turn on delay, thermal, DC default, PC limiter, RL<2 Ohm RF, inrush current, clip limiter, output short
Dual power supply with toroidal transformer
Damping factor (8Ohm,1Khz): 200
Fan speed: continuously variable speed fan, front to rear air flow
Connectors : jack and XLR inputs, 5-way binding post and speakon outputs per ch., speakon for mono

Type	RMS.Power	FREE !
P2000	2x 750W (4 Ohm)	FREE flight case € 1495
P3200	2x 1200W (4 Ohm)	FREE flight case € 1750



Professional High Power Amplifier (8 - 4 - 2 Ohm)
clip limiter: protection for overload caused by exceeded input, Heat protection from Thermal
Circuit: AB-Class with H-Class, 3-step High efficiency circuit
Gain S/W: 3-Stage SW (0dB, 6dB, 12dB). During the live performance, the gain needs to be reduced
Damping factor (8Ohm,1Khz): 450
Selectable HPF (High Pass Filter -30Hz, 50 Hz) :
Protect speakers from low-frequency

Type	RMS.Power	FREE !
H4200	2x 1700W (4 Ohm)	FREE flight case € 1990

www.stereohouse.be



FLIGHTCASES

FC Series



Model	Size (cm)	Units	Sales Promo ind.VAT
FC04	53 x 21 x 61	4 units	180
FC06	53 x 31 x 61	6 units	195
FC08	53 x 40 x 61	8 units	210
FC10	53 x 49 x 61	10 units	225
FC16	53 x 75 x 61	16 units	270

Professional flightcase, separate front and rear cover and 54cm max. usable depth

FCC Series



Model	Size (cm)	Units	Sales Promo ind.VAT
FCC04	53,5 x 43 x 65	4 units	205
FCC06	53,5 x 52,5 x 65	6 units	220
FCC08	53,5 x 61,5 x 65	8 units	240
FCC10	53,5 x 70 x 65	10 units	265
FCC16	53,5 x 96 x 65	16 units	325

Professional flightcase, separate top panel and 49 cm max. usable depth

FCL12



€ 110

Professional flightcase for transport of pick-up W52xH21xD45cm

FCM 10



€ 145

Professional flightcase for 19inch DJ Mixer W55xH26xD43cm

FCL 212



€ 300


Professional flightcase for 2x turntable and 19inch disco mixer

FCE Series



Model	Size (cm)	Sales Promo ind.VAT
FCE 01	W60xH50xD40cm	155
FCE 02	W80xH50xD40cm	175
FCE 03	W80xH50xD60cm	195
FCE 04	W120xH50xD40cm	210
FCE 01H	W60xH50xD40cm	155
FCE 02H	W80xH50xD40cm	175
FCE 03H	W80xH50xD60cm	195
FCE 04H	W120xH50xD40cm	210

FC-H serie = FCE serie, but with hinged cover



FCA 250



Professional flightcase for 2x Martin MAC250 moving heads with wheels
W81xH82xD54cm

€ 500

FCP Series



Professional flightcase for Plasma Screen with wheels

FCP 42	W115xH74xD65cm	Prijzen op aanvraag
FCP 50	W136xH86xD65cm	
FCP 60	W160xH114xD65cm	

WLB 40 Metal Speaker Bracket max. 20 kg



€ 22

TBAG01 Soft Bag for microphone stand CST301 & 310 or speaker pole CST410 € 25



TBAG05 Soft Bag for speaker stand CST435 & 450 € 30

BAGS

SBAG 04
Softbag 4 units

€ 60



STANDS

CKB005/B
Keyboardstand

FCB 04
casterboard



€ 32

€ 60

CST301/B
Microphone stand - black

€ 17

CST310/B
Microphone stand with boom - black

€ 25



CST435/B
Aluminium speaker stand


€ 31

CST450/B
Aluminium speaker stand with Air suspension

€ 70

CST465/B
Steel speaker stand with wind-up

€ 105



M67

€ 35



NEW

M87

€ 70



NEW

A fully featured dynamic general-purpose microphone. The supercardioid response will reduce feedback. Rugged shock-mount - Polar pattern: supercardioid. Freq. response: 50Hz to 15.000Hz - Sensitivity: -75dB +/- 3dB

This is a highly sensitive and accurate microphone with an outstanding dynamic range and a wide freq. response. The supercardioid response will reduce feedback. - Polar pattern: supercardioid. Freq. response: 50Hz to 18.000Hz. Sensitivity: -72dB +/- 3dB

SW150



SUB CABINET

Active subwoofer 8" with 150 watt amplifier
RMS power 75 Watt
Frequency range 23 - 180 Hz
Adjustable filter 40 - 130 Hz

€ 185

PROGAB
professional audio

ACCESSORIES

LIM010 Level Master Stereo Limiter



€ 175

CGR12 Cable Grip for cables from 12 to 18mm
CGR18 Cable Grip for cables from 18 to 22mm
CGR23 Cable Grip for cables from 23 to 28mm



Sales Promo incl.VAT
CGR12 7
CGR18 9
CGR23 12

www.stereohouse.be

www.stereohouse.be

PROMOSET 1

2x Audac BX5.2BC + InterM R150 Plus

€ 425

BX5.2BC **AUDAC**



R150 Plus **interM**



Professional Speaker 80W max / 8 Ohm / Black version
Frequency Range 80 Hz -18 kHz
Self-resetting PTC protection
Mounting bracket included

Amplifier 2x 75W (4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter

PROMOSET 3

4x Audac BX5.2BD + InterM EMI300

€ 875

BX5.2BD **AUDAC**



EMI300 **interM**



Professional Speaker 80W max / 16 Ohm / Black version
Frequency Range 80 Hz - 18 kHz
Self-resetting PTC protection
Mounting bracket included

Mixing Amplifier 2x 150W (4 Ohm)
5x Line Inputs, 2x Mic Inputs and 2x Insert inputs
REC Out L/R, Master 2 Out L/R, Master 1 Mono Sub Out with 2 Band Equalizer

PROMOSET 2

4x Audac BX5.2BD + interM R150 Plus

€ 595

BX5.2BD **AUDAC**



R150 Plus **interM**



Professional Speaker 80W max / 16 Ohm / Black version
Frequency Range 80 Hz -18 kHz
Self-resetting PTC protection
Mounting bracket included

Amplifier 2x 75W (4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter

PROMOSET 4

4x Audac BX8.2BD + InterM R500 Plus

€ 795

BX8.2BD **AUDAC**



R500 Plus **interM**



Professional Speaker 160W max / 16 Ohm / Black version
Freq. Range 50 Hz -18 kHz
Self-resetting PTC protection
Mounting bracket included

Reference Amplifier 2x 250W (4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter
Damping factor (8 Ohm, 1kHz): 100

PROMOSET 5
2x Audac PX10 + Audac SX12 + InterM R500 Plus
€ 1095
PX10

 Professional Speaker 10"
350W max / 8 Ohm
Freq. Range 58 Hz - 21 kHz

SX12

 Professional Bass Cabinet
12" 400W max / 8 Ohm
Freq. Range 42 - 250Hz

interM
R500 Plus

 Reference Serie Amplifier 2x
250W (4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter
Damping factor (8 Ohm, 1kHz): 100

PROMOSET 6
2x Audac PX12 + 2x Audac SX12 + InterM L1400
€ 1495
PX12

 Professional Speaker 12"
600W max / 8 Ohm
Freq. Range 52 Hz - 20 kHz

SX12

 Professional Bass Cabinet 12"
400W max / 8 Ohm
Freq. Range 42 - 250Hz
Crossover / cutoff freq.: 250 Hz

L1400

 Live Serie Amplifier 2x 450W
(4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter, clip limiter
Damping factor: (8 Ohm, 1kHz): 400

PROMOSET 7
2x dB Opera 400 + dB Opera 41.15P + CM15.5
€ 1995

Opera 400
Professional 2-way Speaker
700W max / 8 Ohm
12" woofer, 1" B&C driver
Freq. range 50 Hz - 20 kHz
Max. SPL 128 dB
PTC protection

Opera 41.15P
Professional Bass Cabinet 15"
800W max / 8 Ohm
Frequency Range 30 - 150 Hz
Crossover/cutoff freq. 150 Hz
Max SPL 127 dB
2 Speakon Connections

CM15.5
Live Serie Amplifier 2x
800W (4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter, Clip-limiter
Damping factor (8 Ohm, 1kHz): 150

PROMOSET 8
2x Audac FX12.3 + 2x Audac FX25.B + InterM P3200 + InterM CM15.5 + InterM DIV9123
€ 3495

FX 12.3

 Professional 3-way Speaker
700W max / 8 Ohm
12" woofer, 2x 5" mid
1" titanium HF driver
Freq. Range 55 Hz - 18 kHz
Crossover : 150 - 1600 Hz

FX25.B

 Professional Bass Cabinet 1600W max / 4 Ohm
2x 15" woofer
Freq. Range 38 - 400 Hz

P3200
Professional Serie Amplifier
2x 1400W (2 Ohm)

DIV9123
Professional Stereo Electronic Crossover
2 way stereo or 3 way mono, with sub out

CM15.5
Live Serie Amplifier
2x 800W (4 Ohm)
Protection: Turn on delay, thermal, DC default, PC limiter, Clip-limiter

www.stereohouse.be
PROMOSET 9
4x DB Twin 128 + 1x DB Opera 41.15
€ 1995
Twin 128


2x 8" Active Speaker with Dynamic Softclip Limiter	
Output (Music)	140W + 40W
Loudspeaker	2x 8" LF + 1" HF
Freq. Response	80 Hz - 20 kHz
Max SPL	118 dB
Input Sensitivity	adjustable - 50 - 0 dB

Opera 41.15


Active Bass Cabinet 15" 800W max / 8 Ohm	
Frequency Range	30 - 150 Hz
Crossover/cutoff freq.	150 Hz
Max SPL	127 dB

OPTION
FCB04
Casterboard

€ 60

 Professional flightcase, separate front and rear cover and 54cm max. usable depth
W53xH49xD61cm

CAYMON
FC10

€ 225
€ 950
Opera 110 Mobile


Professional 10" Active MOBILE Speaker with Dynamic Softclip Limiter	
2-way bi-amplified speaker	140W + 40W (Music)
Power supply	Internal 12V battery or electric
Frequency response	70 Hz - 18 kHz
Max SPL	117 dB
Adjustable XLR/jack input	
Combined XLR/jack input	
Mic-Line input, switchable	
Microphone presence adjuster	
Low voltage output with choice of 3-12V	
Cinch input, separately adjustable	
Mixed line out;	6,3mm jack
Integrated 16 channel UHF diversity microphone receiver	
24-bit Digital Delay	

OPTION
UH900M

Handheld super-cardioid microphone (Beyerdynamic's TG-X58)


€ 265
UH900L + VH504

Lavalier condenser cardioid microphone (UH900L pocket transmitter + VH504 microphone)


€ 330
UH900D

Neckworn condenser cardioid microphone (UH900D pocket transmitter + VH512 microphone)


€ 480
WIRELESS
TT02 Gigbag

Carrying bag for 10" speaker dB (Opera110 or Twin128)


€ 42

OPERA 110 dB

€ 350



Professional 10" Active Speaker with Dynamic Softclip Limiter	
Output (Music)	140W + 40W
Loudspeaker	10" LF + 1"HF
Freq. Response	70 Hz - 20 kHz
Max SPL	117 dB
Input Sensitivity	adjustable - 50 - 0 dB
Input Connection	Neutrik Combo jack/ XLR
Output Con.	XLR balanced
Impedance	20 K Ohm balan. / 10 K Ohm unbalanced
Dimensions	550 x 312 x 280mm
Weight	9 kg

€ 695

SUB 12 dB



Output (Music)	800W
Loudspeaker	12" dB Bass
Frequency Response	40 Hz - 150 Hz
Crossover Frequency	150 Hz
Max SPL	127 dB
Input Sensitivity	adjustable - 50 - 0 dB
Input Connection	2ch Neutrik Combo jack/ XLR
Output Connection	2ch HF-out balanced XLR, 2ch Link-out balanced XLR
Impedance	20 K Ohm balan. / 10 K Ohm unbalanced
Dimensions	520 x 360 x 500mm
Weight	18,9 kg

TWIN 128 black

€ 375



Professional 2x 8" Active Speaker with Dynamic Softclip Limiter	
Output (Music)	140W + 40W
Loudspeaker	2x 8" LF + 1"HF
Frequency Response	80 Hz - 20 kHz
Max SPL	118 dB
Input Sensitivity	adjustable - 50 - 0 dB
Input Connection	Neutrik Combo jack/ XLR
Output Connection	XLR balanced
Impedance	20 K Ohm balan. / 10 K Ohm unbalanced
Dimensions	550 x 312 x 280mm
Weight	10 kg

PROMOSET

2x dB Opera110 + SUB12



€ 1295

PROMOSET

2x dB Twin128 + SUB12



€ 1295

OPERA

Opera 212L dB

€ 550



Professional 12" Active Speaker with Dynamic Softclip Limiter	
Output (Music)	240W + 80W
Loudspeaker	12" dB Bass + 1"HF
Freq. Respons	65 Hz - 20 kHz
Max SPL	120 dB
Input Sensitivity	adjustable - 50 - 0 dB
Input Connection	Neutrik Combo jack/ XLR
Output Connection	XLR balanced
Impedance	20 K Ohm balan. /10 K Ohm unba.
Dimensions	700 x 400 x 320mm
Weight	15 kg

Opera 412L dB

€ 695



Professional 12" Active Speaker with Dynamic Softclip Limiter	
Output (Music)	450W + 100W
Loudspeaker	12" dB Bass + 1"B&C Compr.
Frequency Response	50 Hz - 20 kHz
Max SPL	126 dB
Input Sensitivity	adjustable - 50 - 0 dB
Input Connection	Neutrik Combo jack/ XLR
Output Connection	XLR balanced
Impedance	20 K Ohm balan. / 10 K Ohm unbalanced
Dimensions	700 x 400 x 320mm
Weight	20 kg

COMPACT SPEAKER CABINETS

M80/M160 dB



M80

€ 275

L80

€ 225

L80/L160 dB



6" Compact Active Speaker with Dynamic Softclip Limiter	
Output (Music)	80W
M80	120W + 40W
M160	
Loudspeaker	6" dB Bass + tweeter
M80	6"dB Bass+ 1" Soft dome tw.
M160	
Freq. Respons	60 Hz - 19 kHz (M80) - 50Hz - 20 kHz (M160)
Max SPL	96 dB (M80) - 99 dB (M160)
Input Sensitivity	-50bis +10 dBm
Input Connection	Neutrik Combo jack/ XLR
Output Connection	XLR balanced, RCA Cinch
Impedance	200 Ohms - 47 kOhms
Dimensions	195 x 195 x 317mm

2x 5" Compact Active Speaker with Dynamic Softclip Limiter	
Output (Music)	80W
L80	160W
L160	
Loudspeaker	2x 5"
Freq. Respons	65 Hz - 18 kHz
Max SPL	100 dB
L80	110 dB
L160	
Input Sensitivity	adjustable -50bis +10 dBm
Input Connection	Neutrik Combo jack/ XLR
Output Connection	XLR balanced, RCA Cinch
Impedance	200 Ohms - 47 kOhms
Dimensions	195 x 195 x 317mm

M160

€ 375

L160

€ 295

Entertainer S400 Set dB TECHNOLOGIES



Professional 2-way system with 400W/RMS with Dynamic Softclip Limiter	
12" Bandpass-subwoofer with integrated 3 ch. Output 300W/RMS + 2x 50W/RMS	
2x Dual 5" satellite with Speakon connection	
1x Stereo Line Input	
1x Mic Input, separately adjustable	
1x Stereo Cinch Input, separately adjustable	
Dimensions Sub:	520 x 360 x 500mm
Dimensions Top:	195 x 195 x 317mm /
Weight Sub:	20 kg
Weight Top	3,4 kg

€ 995

WM 220M WIRELESS VHF DIVERSITY SYSTEMS



VHF Diversity system
Deliverable in 4 fixed frequencies
Very good price/ quality ratio
BIPT approved

WM220M dB TECHNOLOGIES

€ 210

PU910 DIGITAL CONTROLLED UHF 16 CHANNEL SYSTEM



Robust metal housing
Digital Pilot Tone control
Integrated antenna
Single switch operation
Battery status led
Average of 50% reduction of battery costs (AAA batteries) and average 12hour operation.

PU910M dB TECHNOLOGIES

€ 495

OPTION

OPTION

OPTION

CST435/B

Aluminium speaker stand

€ 31

WBL12

wall mount

€ 15

SN120

stand adaptor

€ 42

www.stereohouse.be



SRM350: 2-weg actief

2-way bi-amplified, optimized active system, 10 inch Woofer, 1 inch tweeter, Low Frequencies: 165Wrms, High Frequencies: 30Wrms, dispersion angle: 90°Hx40°V, 61Hz-22kHz, 121dB @ 1m, 12kg



~~€ 650~~ **€ 544**

SRM450: 2-weg actief

2-way bi-amplified, optimized active system, 12 inch Woofer, 1.75 inch tweeter, Low Frequencies: 300Wrms, High Frequencies: 100Wrms, dispersion angle: 90°Hx40°V, 55Hz-20kHz, 130dB @ 1m, 23kg



~~€ 999~~ **€ 799**

SR1530: 3-weg 15 inch actief

optimized active system, 15 inch Woofer, 6 inch Mid frequency driver, 1 inch tweeter, Low Frequencies: 300Wrms, Mid Frequencies: 100Wrms, High Frequencies: 100Wrms, dispersion angle: 90°Hx40°V, 45Hz-18kHz, 129dB @ 1m, 50,5kg



~~€ 999~~ **€ 850**



www.stereohouse.be



SR1232: 3-weg tri-amplified full range

optimized active system, 2 x 12 inch Woofer, 6 inch Mid frequency driver, 1,75 inch tweeter, Low Frequencies: 1100Wrms, Mid Frequencies: 100Wrms, High Frequencies: 100Wrms, dispersion angle: 90°Hx40°V, 45Hz-18kHz, 139dB @ 1m, 60kg



~~€ 1889~~ **€ 1499**

SW1501: 15-inch actieve subwoofer

High power active subwoofer, 15 inch Woofer, Low Frequencies: 500Wrms, Omnidirectional, 47Hz-120Hz, 131dB @ 1m, 40kg



~~€ 1289~~ **€ 1099**

SW1801: 18-inch actieve subwoofer

High power active subwoofer, 18 inch Woofer, Low Frequencies: 900Wrms, Omnidirectional, 45Hz-120Hz, 138dB @ 1m, 60kg



~~€ 1639~~ **€ 1399**

Contactinformatie

Stereo House
Frans Van Eeckhout
Iepersestraat 13
8800 Roeselare
Tel.: 0032(0)51/22 18 91
Fax: 0032(0)51/24 83 68
E-mail: info@stereohouse.be
Website: www.stereohouse.be

Prijzen in deze folder

Alle prijzen zijn 21% BTW inbegrepen. Prijzen zijn exclusief eventuele wettelijke recyclagebijdrage. Alle prijzen zijn onder voorbehoud van veranderingen of vergissingen. Specificaties kunnen wijzigen.
Meer specificaties van alle toestellen zijn te vinden op www.stereohouse.be

Bestellingen

U kan in de winkel bestellen, telefonisch en via e-mail of onze website.

Leveringen

U kan natuurlijk alles afhalen in de winkel, maar wij kunnen het ook aan huis leveren. Voor meer informatie over verzendkosten, raadpleeg onze website.

Openingsuren winkel

Maandag tot vrijdag: 9u. - 12u. en 13u30 - 18u30 (maandagvoormiddag gesloten)
Zaterdag: 9u. - 12u. en 13u30 - 17u.

Andere catalogussen

In deze catalogus staan enkel onze huidige promoties. Voor andere producten kan u ook een catalogus downloaden op www.stereohouse.be