

Aanbevolen richtprijs (BTW inclusief) - Prix publics conseillés (TVA incluse)

TURNTABLES

Essential Line

Elemental

Ortofon OM5e

219,00

Chassis **White/Black(WH)**, **Red/Black (RE)** or **Silver/Black (SI)**.

Optimized tonearm mounted MM-cartridge Ortofon OM5e.

Speeds: 33+45 RPM manually or electronically with optional Speed Box DS


10ELE(*)
269,00

Chassis **White/Black(WH)**, **Red/Black (RE)** or **Silver/Black (SI)**.

Optimized tonearm mounted MM-cartridge Ortofon OM5e.

Speeds: 33+45 RPM manually

Integrated phono-preamp (MM only) with DAC and USB-OUT

to record this analogue source on a computer.


10ELEX(*)

Acryl it E

Alternative for all Elemental and Essential models


1AACRYLE

9120050439603

109,00

Essential Line

Essential II

Ortofon OM5e

279,00

Chassis matt **BLACK (BK)**, matt **RED (RE)** or matt **White (WH)**. 8,6-inch tonearm mounted MM-cartridge Ortofon OM5e, incl. lid.

Speeds: 33+45 RPM manually or electronically with optional Speed Box DS

Dimensions: W x H x D: lid closed 415 x 118 x 320mm, lid open: 415 x 365 x 405mm.


10ESS2(*)

Essential II Phono USB

Ortofon OM5e

369,00

Chassis matt **BLACK (BK)**, matt **RED (RE)** or matt **White (WH)**. 8,6-inch tonearm mounted MM-cartridge Ortofon OM5e, incl. lid.

Speeds: 33+45 RPM manually

Integrated phono-preamp (MM only) with DAC and USB-OUT to record this analogue source on a computer.

Dimensions: W x H x D: lid closed 415 x 118 x 320mm, lid open: 415 x 365 x 405mm.


10ESS2X(*)

Essential II Digital **Ortofon OM5e** **NEW** **379,00**



Chassis matt **BLACK (BK)**, matt **RED (RE)** or matt **White (WH)**. 8,6-inch tonearm mounted MM-cartridge Ortofon OM5e, incl. lid.
 Speeds: 33+45 RPM manually
 Integrated phono-preamp with digital optical output (Toslink) & Line-level RCA to amp
 Dimensions: W x H x D: 420 x 112 x 330mm.

DEBUT LINE

Debut Carbon (DC) **Ortofon OM10** **369,00**



Chassis high-glossy **PIANO (PI)**, **RED (RE)**, **WHITE (WH)**, **BLUE (BL)**, **GREEN (GR)**, **LIGHT GREY (SI)** **YELLOW (YE)** and **PURPLE (PU)**
 8,6"carbon tonearm, incl. lid.
 Speeds: 33+45 RPM manually
 Speed **78 RPM** with optional special pulley (**PULLEY SB**) - manually
 Dimensions: W x H x D: lid closed 415 x 118 x 320mm, lid open: 415 x 365 x 405mm.

10DCIIC2(*)  **With Ortofon 2M Red cartridge** **429,00**

Debut Carbon Phono USB (DC) **Ortofon OM10** **479,00**



Chassis high-glossy **PIANO (PI)**, **RED (RE)**, **WHITE (WH)**, **BLUE (BL)**, **GREEN (GR)**, **LIGHT GREY (SI)** **YELLOW (YE)** and **PURPLE (PU)**
 8,6"carbon tonearm, incl. lid.
 Speeds: 33+45 RPM manually and **78 RPM** with optional special pulley (**PULLEY SB**) - manually
 Integrated phono-preamp (MM only) with DAC and USB-OUT to record this analogue source on a computer.

Debut Carbon Esprit (DC) **Ortofon 2M Red** **479,00**



Chassis high-glossy **PIANO (PI)**, **RED (RE)**, **WHITE (WH)**, **BLUE (BL)**, **GREEN (GR)**, **LIGHT GREY (SI)** **YELLOW (YE)** and **PURPLE (PU)**
 8,6"carbon tonearm, incl. lid.
 Acrylic main-platter, MM-cartridge Ortofon 2M Red .
 Speeds: 33+45 RPM manually
 Speed **78 RPM** with optional special pulley (**PULLEY SB**) manually

Debut Carbon Esprit SB (DC) **Ortofon 2M Red** **529,00**



Chassis high-glossy **PIANO (PI)**, **RED (RE)**, **WHITE (WH)**, **BLUE (BL)**, **GREEN (GR)**, **LIGHT GREY (SI)** **YELLOW (YE)** and **PURPLE (PU)**
 8,6"carbon tonearm, incl. Lid, Acrylic main-platter, MM-cartridge Ortofon 2M Red .
 Speeds: 33+45 RPM electronically
 Speed **78 RPM** with optional special-pulley (**PULLEY SB**) manually

LIGHT GREY

Debut Carbon Esprit (DC) PS00-Frida	Ortofon 2M Red	589,00
--	-----------------------	---------------



All features of Pro-Ject Debut Carbon Esprit DC.
 Designed by the wife of the Famous Austrian DJ **Parov Stelar**
 Based on the graphics of his album 'Clap Your Hands'

10DCESPS00

Debut Carbon Esprit (DC) PS00-Wave	Ortofon 2M Red	589,00
---	-----------------------	---------------



All features of Pro-Ject Debut Carbon Esprit DC.
 Designed by the wife of the Famous Austrian DJ **Parov Stelar**
 Parov Stelar Design

10DCESPS01

CLASSIC LINE		
---------------------	--	--

1 Xpression III Comfort	Ortofon 2M Red	639,00
--------------------------------	-----------------------	---------------



121XPIIIC

Chassis **high-gloss anthrazit grey**, with acrylic main platter, incl. lid.
 8,6-inch carbon fibre tonearm and RCA terminals.
 Including MM-cartridge Ortofon 2M Red
Electronic cut-off
 Speeds: 33+45 electronically
 Speed **78 RPM** with optional special pulley (PULLEY SB) manually

1 Xpression Carbon DC	no cartridge	639,00
------------------------------	---------------------	---------------



101XPRC1

101XPRC2



Chassis **high-gloss piano black**, with stainless-steel platter, incl. lid.
 8,6-inch full carbon tonearm with spin-off evo technology and plated-gold RCA terminals.
 Speeds: 33+45 RPM manually
 Speed **78 RPM** with optional special pulley (PULLEY SB) manually
 Dimensions W x H x D: lid closed 415 x 118 x 320mm, lid open 415 x 365 x 405mm.

With Ortofon 2M Red

689,00

1 Xpression Carbon Classic	no cartridge	749,00
-----------------------------------	---------------------	---------------



101XPRC(*)

MDF plint available in **PIANO BLACK (PI)**, **MAHOGANY (MA)**, **OLIVE (OL)** and **PIANO WHITE (WH)**
 stainless-steel platter, incl. lid.
 8,6-inch full carbon tonearm with spin-off evo technology and plated-gold RCA terminals.
 Speeds: 33+45 RPM manually
 Speed **78 RPM** with optional special pulley (PULLEY SB) manually



101XPRC(*)3



With Ortofon 2M Silver

849,00

2 Xperience SB **no cartridge** **NEW** 1199,00



102XPSB(*)NC

Available in **EUCALIPTUS (EU)**, **PALISANDER (PA)**, **WALNUT (WA)**, **HG PIANO (PI)**, **HG Mahogany (MA)**, **HG OLIVE (OL)**
 Full carbon 9" tonearm with spinoff EVO technology
 Electronic speed control with 33/45 rpm speed change
 Resonance-optimised MDF/vinyl sandwich platter
 Dimensions W x H x D: lid closed 460 x 160 x 360mm



102XPSB(*)



With Ortofon 2M Silver

1299,00

2 Xperience DC Acryl **no cartridge** **NEW** 1069,00

102XPNC

Full Carbon 9" tonearm
 Precision belt drive with synchronous motor
 DC driven precision AC motor control
 Transparent Acryl plinth
 Dimensions W x H x D: lid closed 460 x 160 x 360mm

102XP



With Ortofon 2M Silver

1169,00

6 perspeX DC **no cartridge** **NEW** 1649,00



126PEXDCNC

126PEXDC

Acryl chassis on Sorbothane® damped aluminium feet. Incl. lid.
 Magnet supported subchassis out of Corian. 9-inch carbon fibre tonearm
 Pro-Ject 9cc Evolution with RCA terminals. Inverted platter bearing with ceramic ball.
 Dimensions W x H x D: lid closed 460 x 183 x 365mm

With Ortofon Quintet Blue

1899,00

6 perspeX SB **no cartridge** **NEW** 1649,00



126PEXSBNC

126PEXSB

Acryl chassis on Sorbothane® damped aluminium feet. Incl. lid.
 Magnet supported subchassis out of Corian. 9-inch carbon fibre tonearm
 Pro-Ject 9cc Evolution with RCA terminals. Inverted platter bearing with ABEC 7 ballraces.
 Dimensions W x H x D: lid closed 460 x 183 x 365mm

With Ortofon Quintet Blue

1899,00

X tension 9 Evolution **no cartridge** 2299,00



10XTE09(*)

Veneer options: **OLIVE (OL)**, **MAHOGANY (MA)**, **RED (RE)**, **PIANO-BLACK (PI)** or **WHITE (WH)**
 Magnet supported subchassis out of Corian.
 9-inch carbon fibre tonearm Pro-Ject 9cc with RCA terminals.
 Speeds: 33+45 electronically + **78 RPM** manually
 Dimensions W x H x D: lid closed 550 x 250 x 450mm, lid open 550 x 550 x 560mm.



X tension 10 Evolution **no cartridge** **3399,00**



Veneer options: **OLIVE (OL)**, **MAHOGANY (MA)** **PIANO-BLACK (PI)** or **WHITE (WH)**
 Magnet supported subchassis out of Corian.
 10-inch carbon fibre tonearm Pro-Ject 10cc with RCA terminals.
 Speeds: 33+45 electronically + **78 RPM** manually
 Dimensions W x H x D: lid closed 550 x 250 x 450mm, lid open 550 x 550 x 560mm.



10XTE10(*)

X tension 12 **no cartridge** **3999,00**



Chassis on magnet supported feets, veneer options: **OLIVE (OL)**, **MAHOGANY (MA)** or **PIANO-BLACK (PI)**.
 12-inch carbon fibre tonearm Pro-Ject 12cc Evolution with RCA terminals.
 Sorbothane® damped, aluminium-platter with magnet supported, inverted platter bearing with ceramic ball. Incl. lid.
 Speeds: 33+45 electronically + **78 RPM** manually
 Dimensions W x H x D: lid closed 550 x 250 x 450mm, lid open 550 x 550 x 560mm.



10XTE12(*)

X tension 12 with Ortofon RS-309D **no cartridge** **6699,00**



Veneer-options: **OLIVE (OL)**, **MAHOGANY (MA)** or **PIANO-BLACK (PI)**.
Same as above with 12-inch-tonearm Ortofon RS-309D (dynamic balanced) and Ortofon headshell SH-4
 Speeds: 33+45 electronically + **78 RPM** manually



10XTE12D(*)

X tension 12 with Ortofon AS-309S **no cartridge** **5899,00**



Veneer-options: **OLIVE (OL)**, **MAHOGANY (MA)** or **PIANO-BLACK (PI)**.
Same as above with 12-inch-tonearm Ortofon AS-309S (symmetric balanced)



10XTE12S(*)

X tension 12 **without tonearm** **3599,00**

Veneer-options: **OLIVE (OL)**, **MAHOGANY (MA)** or **PIANO-BLACK (PI)**.
Same as Xtension12 without tonearm

10XTE12O(*)

Signature Line

SIGNATURE 10 **no cartridge** **4990,00**



Lacquer chassis in **OLIVE (OL)**, **MAHOGANY (MA)** or **PIANO-BLACK (PI)**.
 Flywheel belt drive
 Motor control with LCD display
 Platter magnetically decoupled
 10" single pivot, aluminium tonearm
 Speeds: 33+45 electronically



10SIG10(*)

SIGNATURE 12 **no cartridge** **9599,00**



Lacquer chassis in **OLIVE (OL)**, **MAHOGANY (MA)** or **PIANO-BLACK (PI)**.
 Flywheel belt drive
 Motor control with LCD display
 Platter 10,5Kg magnetically decoupled
 12" single-pivot aluminium tonearm
 Speeds: 33+45 electronically
 Dimensions W x H x D: 570 x 470 x 250mm

10SIG12(*)



RPM LINE

RPM 1 Carbon **no cartridge** **NEW** **399,00**



RED (RE), **WHITE (WH)** and **PIANO (PI)**
 S-shaped 8,6-inch tonearm
 Speeds 33+45 RPM manually
 Optional lid Cover it 1/5 on extra cost. With **magnetic** antiskating
 Dimensions W x H x D: 380 x 115 x 350mm.

10RPM1(*)



10RPM1C(*)



With Ortofon 2M Red

NEW **449,00**

RPM 3 Carbon **no cartridge** **NEW** **699,00**



RED (RE), **WHITE (WH)** and **PIANO (PI)**
 S-shaped 8,6-inch tonearm
 Speeds 33+45 RPM manually
 Optional lid Cover it 1/5 on extra cost. With **magnetic** antiskating
 Dimensions W x H x D: 380 x 115 x 350mm.

10RPM3(*)



10RPM3C(*)



With Ortofon 2M Silver

NEW **749,00**

RPM 5 Carbon **no cartridge** **NEW** **1249,00**



RED (RE), **WHITE (WH)** and **PIANO (PI)**
 9" EVO technology carbon tonearm
 Speeds 33+45 RPM manually
 28mm acrylic platter
 Inverted, chrome-plated stainless-steel axle carrying a ceramic ball on which the ceramic bearing plate runs


10RPM5(*)




10RPM5C(*)

With Ortofon Quintet Red


NEW **1399,00**

RPM 9 Carbon	no cartridge	NEW	2099,00
	<p>9" EVO carbon tonearm Mass loaded magnetic floating subchassis Speeds 33+45 RPM manually Acoustically inert aluminium platter</p>		
10RPM9	Dimensions W x H x D: 440 x 180 x 325mm.		
10RPM9C	With Ortofon Quintet Bronze	NEW	2399,00

RPM 10 Carbon	no cartridge	NEW	2990,00
	<p>10" EVO carbon tonearm including Ground it Carbon Base Extra heavy chassis with carbon layer Seperate metal housing for motor wiht built-in driven precision AC motor control Speeds 33+445 RPM</p>		
10RPM10			
10RPM10C	With Ortofon Cadenza Red	NEW	3890,00

TONEARMS


Pro-Ject 9 5P (On demand)		289,00
----------------------------------	--	---------------

	<p>9-inch tonearm with tonearm tube and headshell out of aluminum, With 5-pole DIN connector Effective tonarm mass: 11g, Weight: 250g (without counterweight) Counterweight furnished: for cartridge-weight from 6-10g</p>	
1T9		

Pro-Ject 9 Box with phono/CINCH connectors (On demand) (1T9B) (9120007683905)	299,00
--	---------------

Pro-Ject 9 FL with flying leads (On demand) (1T9FL) (9120007688429)	279,00
--	---------------


Pro-Ject 9cc 5P (On demand)		589,00
------------------------------------	--	---------------

	<p>9-inch tonearm with tonearm tube and headshell out of carbon fibre, With 5-pole DIN connector Effective tonarm mass: 8,5g, Weight: 250g (without counterweight) Counterweight furnished: for cartridge-weight from 6-14g</p>	
1T9CC		

Pro-Ject 9cc Box with phono/CINCH connectors (On demand) (1T9CCB) (9120007688481)	599,00
--	---------------

Pro-Ject 9cc FL with flying leads (On demand) (1T9CCFL) (9120035828118)	559,00
--	---------------

Pro-Ject 9cc Evo 5P (On demand)		839,00
--	--	---------------


	<p>9-inch tonearm with tonearm tube and headshell out of carbon fibre, With 5-pole DIN connector Effective tonarm mass: 8g, Weight: 269g (without counterweight) Counterweights furnished: for cartridge-weight from 5 -14g</p>	
1T9CCEV		

Pro-Ject 9cc Evo 5P (Rega Mount) with 5P and Rega Mount (On demand) (1T9CCEVR) (9120035820761)	859,00
---	---------------

Pro-Ject 9cc Evo Box with phono/CINCH connectors (On demand) (1T9CCEVB) (9120007688535)	859,00
--	---------------

Pro-Ject 9cc Evo FL with flying leads (On demand) (1T9CCEVF) (9120007688511)	819,00
---	---------------

Pro-Ject 10cc Evo 5P (On demand)		899,00
---	--	---------------

	<p>10-inch tonearm with tonearm tube and headshell out of carbon fibre, With 5-pole DIN connector Effective tonarm mass: 8,5g, Weight: 269g (without counterweight) Counterweights furnished: for cartridge-weight from 4-15g</p>	
1T10CCEV		

Pro-Ject 10cc Evo Box with phono/CINCH connectors (On demand) (1T10CCEVB) (9120007688597) **919,00**

Pro-Ject 10cc Evo FL with flying leads (On demand) (1T10CCEVF) (9120007688573) **859,00**

Pro-Ject 12cc Evo 5P (On demand) **939,00**



1T12CCEV

12-inch tonearm with tonearm tube and headshell out of carbon fibre,
With 5-pole DIN connector
Effective tonarm mass: 10,5g, Weight: 271g (without counterweight)
Counterweights furnished: for cartridge-weight from 4-15g

Pro-Ject 12cc Evo Box with phono/CINCH connectors (On demand) (1T12CCEVB) (9120007688658) **959,00**

Pro-Ject 12cc Evo FL with flying leads (On demand) (1T12CCEVF) (9120035829535) **899,00**

Pro-Ject SIGNATURE 9 (On demand) **1899,00**



1TSIG09

9-inch tonearm with headshell

Pro-Ject SIGNATURE 10 (On demand) **1999,00**



1TSIG10

10-inch tonearm with headshell

Pro-Ject SIGNATURE 12 **2249,00**



1TSIG12

12-inch tonearm with headshell

Ortofon AS-309S **1899,00**



1TAAS309S

9-inch medium mass and headshell
With 5-pole DIN connector
Weight (without cartridge and headshell): 483g.
Counterweight and headshell enclosed
For cartridge weight from 18-25g (including headshell)

Ortofon RS-309D **2499,00**



1TARS309D

9-inch medium mass and headshell
With 5-pole DIN connector
Weight (without cartridge and headshell): 655g.
Counterweight and headshell enclosed
For cartridge weight from 18-40g (including headshell)

CARTRIDGES

Audio-Technica Cartridge

Audio-Technica AT95e	MM	50,00
1AAUT95		



Ortofon Cartridges

Ortofon OM 3e	MM	49,00
1AORT3E		



Ortofon OM 5e	MM	59,00
1AORT5E		



Ortofon Alpha	MM	89,00
1AORTALPHA		



Ortofon 2M Red	MM	99,00
1AORT2MR		



1AORT2MRS	Stylus for 2M Red	75,00
------------------	-------------------	--------------

Ortofon 2M Blue	MM	199,00
1AORT2MB		



1AORT2MBS	Stylus for 2M Blue	150,00
------------------	--------------------	---------------

Ortofon 2M Silver	MM	199,00
1AORT2MS		



1AORT2MSS	Stylus for 2M Silver	150,00
------------------	----------------------	---------------

Ortofon 2M Bronze	MM	349,00
1AORT2M		



Pro-Ject Cartridges

Pick it MC-1	MC	169,00
1MC1		



Frequency range: 20-25.000Hz
 Channel separation: 23dB/1kHz
 Compliance/stylus type: 12µm/mN –
 Weight: 10g

Tonearm Cables



1D5PCC082	Connect it 5P-CC-0,82: phono cable with 5 pole DIN copper carbon	139,00
1D5PCC123	Connect it 5P-CC-1,23: phono cable with 5 pole DIN copper carbon	149,00
1D5PCC185	Connect it 5P-CC-1,85: phono cable with 5 pole DIN copper carbon	169,00

N/A

1D5PCC082AP	Connect it 5P-CC-0,82 AP: phono cable with 5 pole DIN copper carbon right-angle	139,00
1D5PCC123AP	Connect it 5P-CC-1,23 AP: phono cable with 5 pole DIN copper carbon right-angle	149,00
1D5PCC185 AP	Connect it 5P-CC-1,85 AP: phono cable with 5 pole DIN copper carbon right-angle	169,00

N/A

1D5PXCC082	Connect it 5P-XLR CC 0,82: XLR cable with 5 pole DIN copper carbon	159,00
1D5PXCC123	Connect it 5P-XLR CC 1,23: XLR cable with 5 pole DIN copper carbon	169,00
1D5PXCC185	Connect it 5P-XLR CC 1,85: XLR cable with 5 pole DIN copper carbon	189,00

N/A

1D5PXCC082AP	Connect it 5P-XLR CC 0,82 AP: XLR cable with 5 pole DIN copper carbon right-angle	159,00
1D5PXCC123AP	Connect it 5P-XLR CC 1,23 AP: XLR cable with 5 pole DIN copper carbon right-angle	169,00
1D5PXCC185AP	Connect it 5P-XLR CC 1,85 AP: XLR cable with 5 pole DIN copper carbon right-angle	189,00



1D5PXSI082	Connect it 5P-XLR-SI-0,82: XLR cable with 5 pole DIN silver	349,00
1D5PXSI123	Connect it 5P-XLR-SI-1,23: XLR cable with 5 pole DIN silver	479,00
1D5PXSI185	Connect it 5P-XLR-SI-1,85: XLR cable with 5 pole DIN silver	639,00

N/A

1D5PSI082	Connect it 5P-SI-0,82: phono cable with 5 pole DIN silver	349,00
1D5PSI123	Connect it 5P-SI-1,23: phono cable with 5 pole DIN silver	479,00
1D5PSI185	Connect it 5P-SI-1,85: phono cable with 5 pole DIN silver	639,00

N/A

1DXLRSI185	Connect it-SI-1,85: XLR cable silver	639,00
1DXLRSI246	Connect it-SI-2,46: XLR cable silver	839,00

Phono Preampifiers


See Box Design Pricelist

78 RPM Options

See www.newinvor.com/dealer section

Pulley's

PULLEY SB 10,00



1A78

78rpm pulley

78RPM-PULLEY KIT (50 Hz) 18,00



1A78RPM

78rpm pulley + drive-belt

78 RPM Styli

Ortofon OM 78 70,00

1AORT78 Schellaks
Special stylus for Schellaks (78rpm) (OM series)

Ortofon 2M 78 80,00


1AORT78M Schellaks
Special stylus for Schellaks (78rpm) (2M Series)

Speed Boxes

See Box Design Pricelist

"it" Products

Absorb it 169,00




1AABSOR(*)

Highend demping feets (4 pieces)

- Special absorber feet made of synthetic material enclosed by metal ring
- Prevent transmission of unwanted mechanical vibration
- Especially designed for CD players and turntables

BLACK (B) and SILVER (S)


Acryl it 119,00



1AACRYL

Alternative for all Debut Carbon models (standard on Carbon Esprit DC and Esprit SB DC)


Acryl it E 109,00



1AACRYLE

Alternative for all Elemental and Essential models


Adapt it 20,00



1AADAPT(*)

45rpm single adaptor available in **BLUE (BL)** and **BLACK (BK)**

Adjust it	29,00
------------------	--------------




Tonearm bearing adjustment-tool

Align it	129,00
-----------------	---------------




Tool for cartridge alignment and adjustment
 Special slip-proof tool for defining the turning centre of Pro-Ject tonearms
 Suitable for other manufacturers tonearms.
 Suitable for tonearms between 8" (203mm) and 12" (305mm) effective length.

Art Vinyl Flip Record Frames for LP's
--



in **BLACK ()** or in **White (W)** - 1 piece 45,00
 in **BLACK ()** or in **White (W)** - Set of 3 pieces 109,00

Art Vinyl Flip Record Frames for Singles



in **BLACK ()** or in **White (W)** - 1 piece 45,00
 in **BLACK ()** or in **White (W)** - Set of 3 pieces 109,00

Brush it	17,00
-----------------	--------------



Carbon fibre record brush

Clamp it	99,00
-----------------	--------------




Screw down aluminium record clamp with leather coating

Clean it	10,00
-----------------	--------------












Cartridge cleaning brush

Cork it	20,00
----------------	--------------




Optional platter mat for all Pro-Ject turntables

Cover it 1		289,00
	<p>Universal dust-cover Fits in combination with base Ground it deluxe 1 Dimensions: 515 x 285 x 415mm</p>	
1ACOVER		
Cover it 2.1		229,00
	<p>Same as above Fits in combination with base Ground it deluxe 2 Dimensions: 450 x 250 x 355mm</p>	
1ACOVER2		
Cover it 1/5		89,00
	<p>Same as above for RPM 1 Carbon / RPM 5.1</p>	
1ALID15		
Cover it RPM-9		99,00
	<p>Same as above for Pro-Ject RPM 9.1 or 9.2 Evolution</p>	
1ALID9		
Cover it RPM 1/3		89,00
	<p>Same as above for Pro-Ject RPM 1 or 3 Carbon</p>	
1ALID3		
Cover it RPM 5/9		89,00
	<p>Same as above for Pro-Ject RPM 5 or 9 Carbon</p>	
1ALID5		
Damp it		
	<ul style="list-style-type: none"> • Special absorber feet made of synthetic material enclosed by metal ring • Prevent transmission of unwanted mechanical vibration • Also suits amplifiers and CD players 	
1ADAMPIT1	1 piece	9,00
1ADAMPIT4	4 pieces	30,00
Felt mat 280mm		10,00
	<p>280mm diameter felt-mat Available in various colors: BLACK(BK)) - DARK GREY(DG) - LIGHT GREY(LG)) - BLUE(BL) - GREEN(G) - NEON GREEN(NG) - ORANGE(O) - RED(R)) - DARK RED(DR) - YELLOW(Y)</p>	
1AFMD(*)		
Felt mat 300mm		10,00
	<p>300mm diameter felt-mat Available in various colors: BLACK(B)) - DARK GREY(DG) - LIGHT GREY(LG) - BLUE(BL)) - GREEN(G) - NEON GREEN(NG)) - ORANGE(O) - RED(R) - DARK RED(DR) - YELLOW(Y)</p>	
1AFMS(*)		


Grease it	19,00
------------------	--------------

		Platter bearing oil	
1AGREASE			


Ground it deluxe 1	329,00
---------------------------	---------------

		Equipment base. Same finish as RPM 5.1, RPM 9.2 Evo and RPM 10.1 Evo Filled with granulate for universal damping. Height adjustable spikes. Three or four spikes may be fitted according to taste/application. Dimensions: 500 x 65 x 400mm (H incl. spikes). Height excl. spikes: 45mm. Weight: 11,6kg	
1AGROUND1			

Ground it deluxe 2	349,00
---------------------------	---------------

		Same as above Dimensions: 435 x 65 x 340mm (H incl. spikes). Height excl. spikes: 45mm. Weight: 8,5kg	
1AGROUND2			


Ground it deluxe 3	579,00
---------------------------	---------------

		Same as above Dimensions: 500 x 65 x 400mm (H incl. magnetic-feets). Height excl. feets: 45mm. Weight: 11,6kg	
1AGROUND3			

Headshells

	1AHSAL	Hi-end Aluminium Headshell	129,00
	1AHSCA	Hi-end Carbon Headshell	99,00
	1AHSWO	Hi-end Wood Headshell	79,00


Leather it	49,00
-------------------	--------------









		300m diameter platter mat out of leather Available in BLACK(BL) and LIGHT GREY(LG)	
1AIEAT(*)			

Level it	26,00
-----------------	--------------

		Wooden spirit-level	
1ALEVEL			

Lube it	19,00
----------------	--------------

		Spindle oil	
1ALUBE			

Measure it		99,00
	<p>Electronic stylus balance. LCD-display with backlight Capacity: 0 to 5g, variance $\pm 0,002g$ Auto calibration function, Auto off after 120 seconds, batteries supplied.</p>	
1AMEASURE		
Q-UP		59,00
	<p>Lifts tonearm when it moves to the end of a record Extends stylus life Suits nearly all tonearms and manual turntables Includes three stackable platforms for turntables with thick platters Adjustable trigger sensitivity</p>	
1AQUP		
Record Clamp		27,00
	Screw down metal record clamp	
1ARECCL	9120007689068	
Record Puck		89,00
	Heavy brass record puck (0,75kg)	
1ARECPU		
Record Puck Signature 10/12		89,00
	Heavy brass record puck (0,75kg)	
1ARECPUS		
Strobe It		29,00
	Stroboscope disc	
1ASTROBE	9120007686876	
Wallmount WMI-1		139,00
	<p>Welded steel frame construction with four height adjustable spikes to level the board. Veneered wooden board, black finish. Surface area (W x D): 460 x 355mm Overall dimensions (W x H x D): 460 x 90 x 415mm Maximal load: 30kg</p>	
1AWMI1		
Wallmount WMI-2		169,00
	<p>Same as above Surface area (W x D): 460 x 355mm Overall dimensions (W x H x D): 490 x 260 x 455mm Maximal load: 30kg</p>	
1AWMI2		
Wallmount WMI-3		319,00
	<p>Screwed steel construction with three height-adjustable spikes to level the board. Matt black MDF board Surface area (W x T): 520 x 450mm Overall dimensions (W x H x D): 635 x 290 x 455mm</p>	
1AWMI3		

Wallmount WMI-5	219,00
------------------------	---------------



Screwed steel construction
Black (B) or Walnut (W) wood finish
 Surface area (W x T): 460 x 400mm
 Overall dimensions (W x H x D): 460 x 60 x 425mm

1AWMI5(*)



SPIN CLEAN


Record Washer System MKII	119,00
----------------------------------	---------------



includes bath unit, one pair of brushes, one pair of rollers, two washable drying cloths, one 4oz bottle of concentrated washer fluid

11SCRW

Record Washer System MKII Package	199,00
--	---------------



includes bath unit, two pairs of brushes, one pair of rollers, seven washable drying cloths, a 4oz bottle, a 32oz bottle of concentrated washer fluid

11SCRWP

Record Washer System MKII Package Limited Edition	239,00
--	---------------



includes translucent bath unit, two pairs of brushes, one pair of rollers, seven washable drying cloths, a 4oz bottle, a 32oz bottle of concentrated washer fluid

11SCRWPE

Add Ones

	11SCWF08	Washer fluid 8oz	19,00
	11SCWF16	Washer fluid 16oz	29,00
	11SCWF32	Washer fluid 32oz	45,00
	11SCBR	Brushes (one pair)	35,00
	11SCRO	Rollers (one pair)	29,00
	11SCDRCL	Drying Cloths (5-pack)	25,00

DiscMist	25,00
-----------------	--------------

	11DMODC02	Optical Disc Cleaner 2oz	25,00
	11DMODC04	Optical Disc Cleaner 4oz	29,00
	11DMODC08	Optical Disc Cleaner 8oz	35,00